AMENDMENTS TO THE CLAIMS

Claims 1-25 (Canceled)

Claims 26-48 (Canceled)

49. (Currently amended) A-method of wireless picture messaging system messaging using visual image data in a wireless image communication system, the method comprising in which a picture is sent from a message originator having a telephone number to a message recipient having a wireless portable communication device, comprising:

receiving a message associated with a call from a calling party to a specified called party having a wireless portable communication device adapted to receive caller identifying information, the message including visual image data;

storing the message in a memory; and

forwarding the message to the wireless portable communication device along with a unique identifier associated with the wireless portable communication device.

a message center;

a picture message input device for use by the message originator for generating a message including a picture to be transmitted to the message center from a message originator;

a receiver operably coupled to the message center for receiving and storing in a memory both message originator information provided automatically by a

communications network as the caller ID identifying the telephone number of the message originator, and a picture obtained from the message originator with the caller ID;

a wireless portable communication device for receiving wireless signals from the message center; and,

a transmitter for wirelessly transmitting the stored caller ID and the stored picture from the message center to the wireless portable communication device.

50. (Currently amended) A-method_system according to claim 49, wherein the-visual image data_picture includes at least one of:

iconographic image data;

logo image data;

photographic image data;

video image data;

facsimile image data;

image data representative of a calling party; and

other graphic image data.

51. (Currently amended) A-method system according to claim 49, wherein the message is picture message input device includes a video telephone and the message includes a video telephone message, and wherein the visual image data picture includes video image data.

- 52. (Currently amended) A-method_system according to claim 49, wherein the message is received between ring-signals_picture message input device includes a personal computer.
- 53. (Currently amended) A-method system according to claim 49, wherein the visual image data is provided by the calling party message is encoded and wherein the wireless portable communication device includes a decoder for decoding the encoded message.
- 54. (Currently amended) A-method_system according to claim 49, wherein the-visual image message includes optional data-is provided automatically by a telephone network.
- 55. (Currently amended) A-method system according to claim 49, further comprising at least one of:

a compression algorithm for compressing at least part of the message prior to storage in the memory; and

<u>a compression algorithm for compressing at least part of</u> the message prior to forwarding the message transmission to the wireless portable communication device.

56. (Currently amended) A—method_system according to claim 49, further emprising:

receiving wherein the caller ID includes caller identifying data associated with the message.

57.	(Currently	amended)	A-method_	system	according	to	claim	56,	wherein
forwarding the message comprises:									
	forwarding	the transmitt	er that wirele	ssly tran	smits the ca	ller	ID and	the j	oicture is
operably connected to transmit the message picture and caller ID based on the caller									
identif	ying data.								
58.	(Currently	amended)	A-method_	system	according	to	claim	49,-	wherein
forwarding the message comprises and further including:									
	– an encrypt	ion algorithm	<u>for</u> encrypti	ng the -m	essage pictu	ıre,⊣	t o form	an e	encrypted
message; and wherein the transmitter transmits									
	forwarding	the encrypted	d- message _pi	cture to t	he wireless	port	table co	ommi	unication
device.									
59.	(Cancel)								
60.	(Cancel)								
61.	(Cancel)								
62.	(Cancel)								

63.	(Cancel)		
64.	(Cancel)		
65.	(Cancel)		
66.	(Cancel)		
67.	(Cancel)		
68.	(Cancel)		
69.	(Cancel)		
70.	(Cancel)		
71.	(Currently amended) A wireless image communication system comprising:		
	-a wireless communication network; and		
	a message center device, operably coupled to the wireless communication		
network, for receiving a message associated with a call from a calling party to a specified			
called party having a wireless portable communication device adapted to receive caller			
identifying information, storing the message in a memory, and subsequently forwarding			

the message to the wireless portable communication device over the wireless communication network along with a unique identifier associated with the wireless communication device, wherein the message includes visual image data.

A wireless picture messaging system in which a picture is sent from a message originator having a telephone number to a message recipient having a wireless portable communication device, comprising:

a message center;

a picture message input device for use by the message originator for generating a message including a picture to be transmitted to the message center from the message originator;

a receiver coupled to the message center for receiving and storing in a memory both message originator information provided automatically by a communications network as the caller ID identifying the telephone number of the message originator, and a picture obtained from the message originator with the caller ID;

a wireless portable communication device for receiving wireless signals from the message center; and

a transmitter for wirelessly transmitting the stored caller ID and the stored picture from the message center to the wireless portable communication device.

- 72. (Cancel)
- 73. (Cancel)

- 74. (Currently amended) A communication wireless picture messaging system according to claim 71 49, wherein the message is received between ring signals memory comprises a hard disk drive.
- 75. (Currently amended) A—communication wireless picture messaging system according to claim—71_49, wherein the visual image data picture is provided by the calling party stored at the message center for later retrieval by the message recipient.
- 76. (Cancel)
- 77. (Currently amended) A—communication wireless picture messaging system according to claim—71_49, wherein the message center device is operable to compress_at least a part of the message is compressed prior to at least one of (a) storing the message in the memory and (b) forwarding the message.
- 78. (Cancel)
- 79. (Cancel)
- 80. (Cancel)

81. (Currently amended) A commu	mication wireless picture messaging system					
according to claim 71 49, wherein the	wireless communication network-comprises					
includes at least one of:						
a paging system;	— a paging system;					
a cellular telephone system;	a cellular telephone system;					
a wireless communication system;	and					
a radio telephone system.						
82. (Currently amended) A-commu	unication wireless picture messaging system					
according to claim 71 49, wherein the mes	sage center device includes one of:					
a telephone answering device syste	<u>m</u> ;					
a video telephone answering device	system;					
a-personal computer-device;						
a facsimile device;						
a voice messaging device system; a	and					
a video messaging-device system.						
83. (Cancel)						
84. (Cancel)						
85. (Cancel)						

86.	(Cancel)			
87.	(Cancel)			
88.	(Cancel)			
89.	(Cancel)			
90.	(Cancel)			
91.	(New) A wireless picture messaging system according to claim 71, wherein the			
picture includes at least one of:				
	iconographic image data;			
	logo image data;			
	photographic image data;			
	video image data;			
	image data representative of a calling party; and			
	other graphic image data.			

- 92. (New) A wireless picture messaging system according to claim 71, wherein the picture message input device includes a video telephone and the message includes a video telephone message, and wherein the picture includes video image data.
- 93. (New) A wireless picture messaging system according to claim 71, wherein the picture message input device includes a personal computer.
- 94. (New) A wireless picture messaging system according to claim 71, wherein at least part of the message is encoded and wherein the wireless portable communication device includes a decoder for decoding the encoded message.
- 95. (New) A wireless picture messaging system according to claim 71, wherein the message includes optional data.
- 96. (New) A wireless picture messaging system according to claim 71, further comprising at least one of:
- a compression algorithm for compressing at least part of the message prior to storage in the memory; and
- a compression algorithm for compressing at least part of the message prior to forwarding the message transmission to the wireless portable communication device.

- 97. (New) A wireless picture messaging system according to claim 71, wherein the caller ID includes caller identifying data associated with the message.
- 98. (New) A wireless picture messaging system according to claim 97, wherein the transmitter that wirelessly transmits the caller ID and the picture is operably connected to transmit the picture and caller ID based on the caller identifying data.
- 99. (New) A wireless picture messaging system according to claim 71, wherein the transmitter for wirelessly transmitting the caller ID and picture is operably connected to an encryption algorithm for encrypting the picture, and wherein the transmitter transmits the encrypted picture to the wireless portable communication device.
- 100. (New) A wireless picture messaging system according to claim 49, wherein the memory comprises a hard disk drive.
- 101. (New) A wireless picture messaging system according to claim 49, wherein the picture is stored at the message center for later retrieval by the message recipient.
- 102. (New) A wireless picture messaging system according to claim 49, wherein the message is compressed prior to at least one of (a) storing the message in the memory and (b) forwarding the message.

103. (New) A wireless picture messaging system according to claim 49, wherein the wireless picture messaging system includes a wireless communications network and wherein the wireless communication network includes at least one of:

a cellular telephone system;

a wireless communication system; and

a radio telephone system.

104. (New) A wireless picture messaging system according to claim 49, wherein the message center includes one of:

a telephone answering system;

a video telephone answering system;

a computer;

a voice messaging system; and

a video messaging system.